

The sidenotes package*

Andy Thomas
andythomas(at)web.de

February 14, 2014

Abstract

This package allows the typesetting of rich content in the margin. It includes text, but also figures, captions, tables and citations, which is common in science textbooks such as Feynman's *Lectures on Physics*.

Contents

1	Usage	1
2	Technical note	2
3	Required packages	2
4	Implementation	3

1 Usage

<code>\sidenote</code>	The macro is very similar to the footnote macro and tries to emulate its behavior. It just puts the notes in the margin instead of the bottom of the page, therefore the name <i>sidenote</i> . It has the same parameters as footnote as well as an additional offset: <code>\sidenote[number][offset]{text}</code> . All the sidenotes are subsequently numbered and float in the margin to avoid overlap. The first, optional parameter will manually change the numbering to the given value. The second offset parameter will fix the text at a certain position in the margin. In particular, there is a difference between not providing an offset (floating text) and an offset of 0 (fix text at actual position).
<code>\sidenotemark</code>	Sidenote tries to mimic the footnote behavior and, consequently, provides the same solutions. Sometimes, it is not possible to directly call a sidenote macro, e.g. inside of a figure caption. Then, you can use <code>\sidenotemark[number]</code> and <code>\sidenotetext[number][offset]{text}</code> macros. <code>\sidenotemark</code> puts a mark

*This document corresponds to `sidenotes` v0.96a, dated 2014/02/14. Earlier versions by Oliver Schebaum.

<code>\sidenotetext</code>	at the current position. Afterwards, outside of the environment that causes the trouble, it is possible the call <code>\sidenotetext[number][offset]{text}</code> to provide the text and typeset the sidenote. The optional parameters are similar to the sidenote macro. The first, optional parameter will change the numbering and the offset will change the position.
<code>\sidecaption</code>	The <code>\sidecaption[entry][offset]{text}</code> macro can be used if the caption of a figure or table should be in the margin. The caption has to be adjacent to the figure, so a float is not an option here. Therefore, the caption might overlap with other marginals. Then, these marginals have to be adjusted with offset parameters. The formatting of the caption is done by the <i>caption</i> package by defining a <i>sidecaption</i> style. Please refer to the documentation of the caption package for information on styles. The macro can be starred, which is analog to the regular starred caption (no numbering, no tof entry): <code>\sidecaption*[offset]{text}</code> .
<code>marginfigure</code>	The marginfigure environment puts a figure and its caption in the margin. Instead of <code>\begin{figure}[htbp]</code> use <code>\begin{marginfigure}[offset]</code> . Again, using an offset value switches the behavior from float to fixed position. The marginfigure has its own caption style named <i>marginfigure</i> .
<code>margintable</code>	The margintable environment works similar to marginfigure, but with table environments. Use <code>\begin{margintable}[offset]</code> instead of <code>\begin{table}[htbp]</code> , its caption style is named <i>margintable</i> .
<code>figure*</code>	The <code>figure*</code> environment is used to position figures across the full page, i.e. the text width plus the margin. The algorithm has to distinguish between recto and verso (left and right) pages and might need up to three L ^A T _E X runs to provide the desired result. The corresponding caption style is called <i>widefigure</i> . The sister environment for tables is <code>table*</code> . Use <i>widetable</i> to change its caption style.
<code>table*</code>	

2 Technical note

When writing the package, we tried to provide a *minimum* extension to standard L^AT_EX for typesetting rich content in the margin. This means, that there are no sensible default values for most things such as page geometry, fonts and font sizes. However, the *caesar_book*-class accompanies this package as an example implementation as well as a template we use for our theses.

In addition, we tried to keep compatibility with packages the user might want to use later. However, the following packages are needed by *sidenotes* and might introduce side effects with other packages.

3 Required packages

marginnote supports an alternative to `\marginpar` and creates notes in the margin. The notes are not floats and can be shifted up or down. Technically, every time an offset is provided the package uses `\marginnote` and `\marginpar` otherwise.

caption allows to set figure and table captions in the margin and allows easier formatting of these captions. Please refer to the *caption* manual for details on styles.

xparse is used to take advantage of the improved L^AT_EX3 syntax. All macros and environments are defined using this package.

changepage is used to correctly shift figure* and table*. It has to use the option [strict] to work properly. This might lead to an option clash, if the same package is loaded without this option.

4 Implementation

We need a counter similar to the footnote counter.

```
1 \newcounter{sidenote} % make a counter
2 \setcounter{sidenote}{1} % init the counter
```

The L^AT_EX3 parts concerning the optional arguments should not distinguish between an empty bracket pair and no optional argument. This is required to keep macros with two leading optional arguments.

```
3 \ExplSyntaxOn
4 \DeclareExpandableDocumentCommand{\IfNoValueOrEmptyTF}{mmm}
5 {
6   \IfNoValueTF{#1}
7   {#2} % true
8   {\tl_if_empty:nTF {#1} {#2} {#3}} % false
9 }
10 \ExplSyntaxOff
```

The regular \ifnextchar gobbles trailing whitespaces, introduce a new one that does not.

```
11 \def\@sidenotes@ifnextchar#1#2#3{%
12 \let\@sidenotes@buffere #1\def\@sidenotes@buffera{#2}%
13 \def\@sidenotes@bufferb{#3}\futurelet\@sidenotes@bufferc\@sidenotes@ifnextchar@real}%
14 \def\@sidenotes@ifnextchar@real{%
15 \ifx\@sidenotes@bufferc \@sidenotes@buffere \let\@sidenotes@bufferd\@sidenotes@buffera%
16 \else\let\@sidenotes@bufferd\@sidenotes@bufferb\fi\@sidenotes@bufferd}%

```

\sidenote Introduce the \sidenote macro with two optional arguments to set the number and the offset.

```
17 \NewDocumentCommand \sidenote { o o +m } {%
18 \sidenotemark[#1]%
19 \sidenotetext[#1][#2]{#3}%
20 \@sidenotes@ifnextchar\sidenote{\kern-0.07em\textsuperscript{,}}}%
21 {\@sidenotes@ifnextchar\sidcite{\kern-0.07em\textsuperscript{,}}{}}}%
22 }
```

`\sidenotemark` Sidenotemark is supposed to work similarly to `footnotemark`.

```

23 \NewDocumentCommand \sidenotemark { o } {%
24 \nobreak\hspace{0.1pt}\nobreak%
25 \IfNoValueOrEmptyTF{#1}%
26 {%
27 \textsuperscript{\thesidenote}%
28 }% if no argument is given use sidenote counter%
29 {\textsuperscript{#1}}% print out the argument otherwise
30 \@sidenotes@ifnextchar\sidenote{\textsuperscript{,}}{}%
31 \ignorespaces%
32 }%

```

`\sidenotetext` Sidenotetext is supposed to work similarly to `footnotetext`. The additional, optional argument sets the offset.

```

33 \NewDocumentCommand \sidenotetext { o o +m } {%
34 \IfNoValueOrEmptyTF{#1}{% sidenotemark given?
35 \IfNoValueOrEmptyTF{#2}% offset given?
36 {\marginpar{\textsuperscript{\thesidenote}{ } #3}}%
37 {\marginnote{\textsuperscript{\thesidenote}{ } #3}[#2]}%
38 \refstepcounter{sidenote}}%
39 {\IfNoValueOrEmptyTF{#2}% offset given?
40 {\marginpar{\textsuperscript{#1} #3}}%
41 {\marginnote{\textsuperscript{#1} #3}[#2]}%
42 }%

```

`\sidecaption` Sidecaption puts the caption in the margin. It never floats with the other text in the margin, since it has to be next to the figure. `Sidecaption*` works similarly to `sidecaption`, but without an entry.

```

43 \DeclareCaptionStyle{sidecaption}{font=footnotesize}
44 \NewDocumentCommand \sidecaption {s o o m} {%
45 \captionsetup{style=sidecaption}%
46 \IfBooleanTF{#1}%is the macro starred
47 {\IfNoValueOrEmptyTF{#2}%
48 {\marginnote{\caption*{#4}}}%
49 {\marginnote{\caption*{#4}}[#2]}%
50 }% yes, starred macro
51 {%
52 \IfNoValueOrEmptyTF{#2}%
53 {\def\@sidenotes@sidecaption@tof{#4}}%
54 {\def\@sidenotes@sidecaption@tof{#2}}%
55 \IfNoValueOrEmptyTF{#3}%
56 {\marginnote{\caption[\@sidenotes@sidecaption@tof]{#4}}}%
57 {\marginnote{\caption[\@sidenotes@sidecaption@tof]{#4}}[#3]}%
58 }% no, unstarred macro
59 }

```

`marginfigure` The `marginfigure` environment is similar to the `figure` environment. But the figure is put in the margin.

```

60 \newsavebox{\@sidenotes@sidefigurebox}
61 \DeclareCaptionStyle{marginfigure}{font=footnotesize}
62 \NewDocumentEnvironment{marginfigure}{o}
63 {\begin{lrbox}{\@sidenotes@sidefigurebox}%
64 \begin{minipage}{\marginparwidth}%
65 \captionsetup{type=figure,style=marginfigure}}%
66 {\end{minipage}%
67 \end{lrbox}%
68 \IfNoValueOrEmptyTF{#1}% offset?
69 {\marginpar{\usebox{\@sidenotes@sidefigurebox}}}% no offset
70 {\marginnote{\usebox{\@sidenotes@sidefigurebox}}[#1]}% offset
71 }

```

marginable The marginable is similar to the table environment. But the table is put in the margin.

```

72 \newsavebox{\@sidenotes@marginablebox}
73 \DeclareCaptionStyle{marginable}{font=footnotesize}
74 \NewDocumentEnvironment{marginable}{o}
75 {\begin{lrbox}{\@sidenotes@marginablebox}%
76 \begin{minipage}{\marginparwidth}%
77 \captionsetup{type=table,style=marginable}}%
78 {\end{minipage}%
79 \end{lrbox}%
80 \IfNoValueOrEmptyTF{#1}% offset?
81 {\marginpar{\usebox{\@sidenotes@marginablebox}}} %
82 {\marginnote{\usebox{\@sidenotes@marginablebox}}[#1]}%
83 }%

```

figure* The figure* environment provides a figure environment for figures that span across the full page (text plus margin width).

```

84 \AtBeginDocument{%
85 \newlength{\@sidenotes@extrawidth}
86 \setlength{\@sidenotes@extrawidth}{\marginparwidth}
87 \addtolength{\@sidenotes@extrawidth}{\marginparsep}
88 }
89 \DeclareCaptionStyle{widefigure}{margin={0pt,-\@sidenotes@extrawidth},font=footnotesize}
90 \newcommand{\@sidenotes@adjust}{%
91   \checkoddpage%
92   \ifoddpage%
93   %
94   \else%
95   \hspace{-\@sidenotes@extrawidth}%
96   \fi}
97 \renewenvironment{figure*}[1][htbp]{\begin{figure}[#1]%
98   \@sidenotes@adjust%
99   \captionsetup{style=widefigure}%
100 }{\end{figure}}%

```

table* The `table*` environment provides a table environment for figures across text and margin width.

```

101 \DeclareCaptionStyle{widetable}{margin={Opt,-\@sidenotes@extrawidth},font=footnotesize}
102 \renewenvironment{table*}[1][htbp]{\begin{table}[#1]}%
103     \@sidenotes@adjust%
104     \captionsetup{style=widetable}%
105 }\end{table}}%

```

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

E 2, <u>84</u>	S
environments:		<code>\sidecaption</code> 1, <u>43</u>
<code>figure*</code> 2, <u>84</u>		<code>\sidenote</code> 1, <u>17</u>
<code>marginfigure</code> .. 2, <u>60</u>	M	<code>\sidenotemark</code> 1, <u>23</u>
<code>marginfigure</code> ... 2, <u>72</u>	<code>marginfigure</code> (environ-	<code>\sidenotetext</code> 1, <u>33</u>
<code>table*</code> 2, <u>101</u>	ment) 2, <u>60</u>	T
F	<code>marginfigure</code> (environ-	<code>table*</code> (environment)
<code>figure*</code> (environment)	ment) 2, <u>72</u> 2, <u>101</u>

Change History

v0.2	v0.61
General: Initial version 1	General: documentation of <code>sidetext</code> 1
v0.3	v0.7
<code>marginfigure</code> : define the sidefigure	General: rewrite without optional
environment without the environ	offsets 1
package 4	v0.80
v0.4	<code>\sidenote</code> : unstar the newcom-
<code>marginfigure</code> : define the sidetable	mand. 3
environment without the environ	<code>\sidenotetext</code> : unstar the new-
package 5	command. 4
v0.51	v0.81
General: Extent the documentation	<code>\sidenote</code> : added a comma be-
of the macros. 1	tween subsequent sidenotes ... 3
v0.52	v0.85
General: added a section that the	<code>table*</code> : added the <code>table*</code> environ-
package needs <code>marginnote</code> , cap-	ment 5
tion and <code>xifthen</code> 2	<code>figure*</code> : added the <code>figure*</code> environ-
v0.53	ment 5
<code>\sidenote</code> : bugfix, now optional	v0.90
number and offset possible 3	General: added a section that

the package needs twoopt and change page.	2	trailing whitespaces, introduce a new one that does not.	3
two opt package is required, the definitions are too confusing otherwise	1	<code>\sidenote</code> : removed mandatory whitespace, new <code>ifnextchar</code> takes care of that	3
<code>marginfigure</code> : the optional offset parameter is back, renamed en- vironment from <code>sidefigure</code> to <code>marginfigure</code>	4	<code>\sidenotetext</code> : add missing com- ment marks	4
<code>marginable</code> : the optional offset parameter is back, renamed environment from <code>sidetable</code> to <code>marginable</code>	5	v0.94	
<code>\sidenote</code> : add optional offset for sidenote	3	General: change sidenote counter behavior	3
<code>\sidenotetext</code> : add optional offset for sidenotetext	4	start using <code>xparse</code>	2
v0.91		<code>marginfigure</code> : use <code>xparse</code> syntax . .	4
General: deleted <code>marginfullcite</code> . . .	1	<code>marginable</code> : use <code>xparse</code> syntax . .	5
<code>sidenotetextstyle</code> is not needed any more	3	<code>\sidecaption</code> : use <code>xparse</code> syntax . .	4
<code>\sidecaption</code> : <code>sidecaption*</code> accom- panies <code>sidecaption</code>	4	<code>\sidenote</code> : use <code>xparse</code> syntax	3
v0.92		<code>\sidenotemark</code> : use <code>xparse</code> syntax, change counter behavior	3
General: corrected typo in email ad- dress	1	<code>\sidenotetext</code> : use <code>xparse</code> syntax, change counter behavior	4
v0.93		v0.95	
General: regular <code>ifnextchar</code> gobbles		General: cleaned up the documen- tation.	1
		v0.96	
		<code>\sidenotemark</code> : increase the side- note counter in <code>sidenotetext</code> now	3